

## Part Submission Warrant

Part Name	<b>T50ROSFTOVAL25A</b>	Cust. Part Number	<b>FU5T-14E047-FA</b>
Shown on Drawing No.	<b>13-0542-001-CSU</b>	Org. Part Number	<b>15700523</b>
Engineering Change Level	<b>03.2</b>	Dated	<b>29-May-18</b>
Additional Engineering Changes	<b>n/a</b>	Dated	<b>n/a</b>
Safety and/or Government Regulation	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Purchase Order No.	<b>15700523</b>
Weight (kg)	<b>0,0031</b>		
Checking Aid No.	<b>n/a</b>	Checking Aid Engineering Change Level	<b>n/a</b>
		Dated	<b>n/a</b>

### ORGANIZATION MANUFACTURING INFORMATION

**HellermannTyton GmbH** **DUNS: 315430892**

Organization Name & Supplier/Vendor Code

**Großer Moorweg 45**

Street Address

**Tornesch**

**25436**

**Germany**

City

Region

Postal Code

Country

### CUSTOMER SUBMITTAL INFORMATION

**Nursan Kablo Donanimlari**

( **30471** )

Customer Name/Division

**Özge KARASÖĞÜT**

Buyer/Buyer Code

various

Application

### MATERIALS REPORTING

Has customer-required Substances of Concern information been reported?

☒ Yes ☐ No ☐ n/a

Submitted by IMDS or other customer format:

**575796794**

Are polymeric parts identified with appropriate ISO marking codes?

☐ Yes ☐ No ☒ n/a

### REASON FOR SUBMISSION (Check at least one)

- ☐ Initial Submission
- ☐ Engineering Change(s)
- ☐ Tooling: Transfer, Replacement, Refurbishment, or additional
- ☐ Correction of Discrepancy
- ☐ Tooling inactive > than 1 year

- ☐ Change to Optional Construction or Material
- ☐ Supplier or Material Source Change
- ☐ Change in Part Processing
- ☐ Parts Produced at Additional Location
- ☒ Other - please specify below

Packaging change; old HellermannTyton-PN 157-00222

### REQUESTED SUBMISSION LEVEL (Check one)

☒ Level 1 - Warrant only (and for designated appearance items, an Appearance Approval Report) submitted to customer.

☐ Level 2 - Warrant with product samples and limited supporting data submitted to customer.

☐ Level 3 - Warrant with product samples and complete supporting data submitted to customer.

☐ Level 4 - Warrant and other requirements as defined by customer.

☐ Level 5 - Warrant with product samples and complete supporting data reviewed at organization's manufacturing location.

### SUBMISSION RESULTS

The results for ☐ dimensional measurements ☐ material and functional tests ☐ appearance criteria ☐ statistical process package

These results meet all design record requirements: ☒ Yes ☐ No (If "No" - Explanation Required)

Mold / Cavity / Production Process

**injection moulding / serial mold**

### DECLARATION

I affirm that the samples represented by this warrant are representative of our parts which were made by a process that meets all Production Part

Approval Process Manual 4th Edition Requirements. I further affirm that these samples were produced at the production rate of confidential -        pcs / 24 hours.

I also certify that documented evidence of such compliance is on file and available for review. I have noted any deviations from this declaration below.

### EXPLANATION/COMMENTS:

Is each Customer Tool properly tagged and numbered?

☐ Yes ☐ No ☒ n/a

Organization Authorized Signature **i.A.**

Date **30-Jun-21**

Print Name **i.A. N. Lohse**

Phone No. **+49 (0) 4122 701 5726**

Fax No. **+49 4122 701 241**

Title **Quality Assistant**

E-mail **nescha.lohse@HellermannTyton.de**

### FOR CUSTOMER USE ONLY (IF APPLICABLE)

PPAP Warrant Disposition: ☐ Approved ☐ Rejected ☐ Other

Customer Signature \_\_\_\_\_ Date \_\_\_\_\_

Print Name \_\_\_\_\_ Customer Tracking Number (optional) \_\_\_\_\_

## Current Material Certificate



HELLERMANN TYTON  
6701 W GOOD HOPE  
Milwaukee, WI 53224  
Attention: QUALITY DEPARTMENT

Customer Part No: UR0HIRHSUV0  
Container ID: SLAY 5303

Ascend Performance Materials Operations LLC  
Nylon Plastics and Polymers  
3000 Chemstrand Road  
Cantonment, FL 32533  
Telephone: (850) 968-7000

Certificate Date: 08-JAN-21  
Delivery No: 0382548104  
Shipped Qty: 46,280.000 Lbs  
(20,992.608 Kgs)  
Customer P.O. No: 146595-04

### Certificate of Analysis

This certifies that the Nylon Resin shipped to you from Ascend Performance Materials Operations, LLC has been tested and found to meet the required specifications.

This material was produced under a Quality System that meets ISO 9001:2015 and IATF 16949:2016 criteria.

This Nylon Resin meets the relevant requirements of Directive 2011/65/EU ("RoHS 2 Directive") including all amendments through Directive 2015/863 on the restriction of the use of certain hazardous substances in electrical and electronic equipment and Directive 2012/19/EU on waste electrical and electronic equipment ("WEEE Directive").

If you have questions or concerns about this Certificate of Analysis, please contact Ascend Performance Materials Customer Operations at 1-888-927-2363.

This product meets the requirements of the following specifications: SAE J1639, SAE J1639 PA0171, ASTM D6779-PA0161-Z1Z2, ASTM D4066 PA0161, FMVSS 302, MS-DB-41 CPN 1826, ESB-M4D178-A2, WSS-M99P23-C1/C2, WSS-M99P9999-A1, WSSM4D706B1, WSS-M99P1111-A, WSS-M4D706-A4, WSK-M4D706-A, GMW16447P-PA66-T2, GMW16558P-PA66-T1 and GMP-PA66.015, Ford WQ 100C.

Material Type: VYDYNE 47H BK0644      Material No: 10404298      Batch No JA05FY03      Date of Mfg 05-JAN-2021

#### Ascend Performance Materials Operations LLC Specification

Lot Data Property	Test Method	Min	Max	Result	Units
Moisture	ASTM D8869	0.10	0.20	0.15	%
Copper	STM 00667	125	250	205	PPM
Strength @ Yld	ISO 527-1,2 / 1A	50	70	58	MPa
Flammability @ 0.8mm	UL 94HB	P	P	P	N/A

Note: This certificate is generated and controlled by electronic means. No signature is required. This document may not be reproduced, except in full, without written consent of the Nylon Plastics and Polymers Department, Ascend Performance Materials Operations LLC.


All information contained in this letter is provided for informational purposes only and is not meant to alter or waive the appropriate contractual product specifications. Moisture values are representative of the product at the time it was sampled. If numerical flame spread ratings appear herein, they are not intended to reflect the hazards presented by this or any other material under actual fire conditions. Each end user should determine whether potential fire hazards are associated with the finished product, and whether this resin is suitable for the particular end use.

This Certificate of Analysis is provided by Ascend Performance Materials (or its authorized distributor) to its direct purchaser only and is intended for internal use. It is not valid if resold, conveyed or otherwise transferred to another party without Ascend's prior written consent. Ascend makes no warranties and assumes no liability for any product or certification obtained from an unauthorized source. Contact Ascend at +1 713-315-5700 to confirm the validity of any third party supplier.

Ascend and Vydyn are registered trademarks of Ascend Performance Materials Operations LLC.

Page 1 of 1

CATIA V5



## Revision Level

Drawing

State

Part

03.2

Design Release

D

## Revision Record

Changed

Date

Approved

Date


SEE ECN# 013936

RJE

07/17/17

EJH

07/17/17





## REFERENCE:

## PERFORMANCE REQUIREMENTS:

1. FIR TREE PUSH IN FORCE: 45 NEWTONS (10 LBS) MAX IN EACH APPLICABLE OVAL HOLE SIZE AND A PLATE THICKNESS OF 1.8mm.
2. FIR TREE PULL OUT FORCE: 110 NEWTONS (25 LBS) MIN IN EACH APPLICABLE OVAL HOLE SIZE AND A PLATE THICKNESS OF 1.8mm.
3. SHEET METAL THICKNESS RANGE: 0.60mm - 6.75mm
4. APPLICABLE OVAL HOLE SIZES:
  - A. 6.2 X 12.2mm
  - B. 6.5 X 12.5mm
  - C. 6.5 X 13.0mm
  - D. 7.0 X 12.0mm
5. CABLE TIE MIN LOOP TENSILE STRENGTH: 225 NEWTONS (50 LBS)
6. BUNDLE RANGE: 2.0mm TO 50mm

TYPE NUMBER	MATERIAL	COLOR
T50ROSFTOVAL25A	PA66HIRHS	BLACK
T50ROSFTOVAL25A	PA66HIRHS	GRAY
T50ROSFTOVAL25A	PA46	BROWN

ASSEMBLY VIEW  
SCALE 1:1ISOMETRIC VIEW  
SCALE 1:2

Material SEE CHART	Units millimeters	The copyright of this drawing is reserved by HellermannTyton. It is issued on condition that it is not reproduced, copied or disclosed to a third party, either wholly or in part, without the consent of HellermannTyton.	Drawn	KVH	5/29/13	Article/Type-No	SEE CHART	Scale	3:4
			Approved	SJA	6/10/13	Title	T50ROS WITH 25mm OFFSET AND OVAL FIR TREE (A SERIES)	Project Number	13-0542
			<b>HellermannTyton</b> North America Email: corp@htamericas.com Web: www.hellermann.tyton.com			Drawing-No	PRODUCTION : Phase	Format	AH
						13-0542-001-CSU		Sheet	1/1