

From: **Quality Assurance HellermannTyton GmbH**

Subject: PPAP Approval signature deadline

Dear customer:

As you are aware the PPAP process is an integral part of our business. With that in mind, we are informing our customers who are requesting a PPAP that there is a 30 day (calendar) deadline to which we are expecting your reply back with a signed copy of the PSW with a disposition regarding it's validity. It is important that we maintain compliance to the current AIAG PPAP manual.

**As a part of compliance a signed and approved PSW is essential for our records.**

We reserve the right to consider that PPAP valid and complete, if we do not receive a signed copy of the PSW within 30 days (calendar).

Once you have received our PPAP information please e-mail us a copy of your disposition with the appropriate signatures as soon as possible to the following person:

[nescha.lohse@HellermannTyton.de](mailto:nescha.lohse@HellermannTyton.de)

Quality Assistant

phone: +49 (0) 4122 701 5726

Your cooperation is greatly appreciated!

Respecting the procedure as described above, the documentation with HellermannTyton PB-No.:			
<b>99647</b>	with submission date	27.09.2022	will be considered as complete and valid auto-
atically on	<b>27.10.2022</b>	unless otherwise disposed!	

## Part Submission Warrant

Part Name T50ROSFTOVAL25SO Cust. Part Number FU5T-14E047-PA  
 Shown on Drawing No. 13-1061-001-CSU Org. Part Number 15700219  
 Engineering Change Level 30.1 Dated 24.02.2016  
 Additional Engineering Changes n/a Dated n/a  
 Safety and/or Government Regulation ☐ Yes ☒ No Purchase Order No. 15700219 Weight (kg) 0,0028  
 Checking Aid No. n/a Checking Aid Engineering Change Level n/a Dated n/a

### ORGANIZATION MANUFACTURING INFORMATION

HellermannTyton GmbH DUNS: 315430892

Organization Name & Supplier/Vendor Code

Großer Moorweg 45

Street Address

Tornesch

25436

Germany

City

Region

Postal Code

Country

### CUSTOMER SUBMITTAL INFORMATION

Nursan Kablo Donanimlari

( 30471 )

Customer Name/Division

Nadiye BARUTÇU

Buyer/Buyer Code

various

Application

### MATERIALS REPORTING

Has customer-required Substances of Concern information been reported?

☒ Yes ☐ No ☐ n/a

Submitted by IMDS or other customer format:

613128689

Are polymeric parts identified with appropriate ISO marking codes?

☐ Yes ☐ No ☒ n/a

### REASON FOR SUBMISSION (Check at least one)

- ☒ Initial Submission  
☐ Engineering Change(s)  
☐ Tooling: Transfer, Replacement, Refurbishment, or additional  
☐ Correction of Discrepancy  
☐ Tooling inactive > than 1 year

- ☐ Change to Optional Construction or Material  
☐ Supplier or Material Source Change  
☐ Change in Part Processing  
☐ Parts Produced at Additional Location  
☐ Other - please specify below

### REQUESTED SUBMISSION LEVEL (Check one)

- ☐ Level 1 - Warrant only (and for designated appearance items, an Appearance Approval Report) submitted to customer.  
☐ Level 2 - Warrant with product samples and limited supporting data submitted to customer.  
☒ Level 3 - Warrant with product samples and complete supporting data submitted to customer.  
☐ Level 4 - Warrant and other requirements as defined by customer.  
☐ Level 5 - Warrant with product samples and complete supporting data reviewed at organization's manufacturing location.

### SUBMISSION RESULTS

The results for ☒ dimensional measurements ☒ material and functional tests ☐ appearance criteria ☒ statistical process package

These results meet all design record requirements: ☒ Yes ☐ No (If "No" - Explanation Required)

Mold / Cavity / Production Process

injection moulding / serial mold

### DECLARATION

I affirm that the samples represented by this warrant are representative of our parts which were made by a process that meets all Production Part

Approval Process Manual 4th Edition Requirements. I further affirm that these samples were produced at the production rate of confidential - pcs / 24 hours.

I also certify that documented evidence of such compliance is on file and available for review. I have noted any deviations from this declaration below.

### EXPLANATION/COMMENTS:

Is each Customer Tool properly tagged and numbered?

☐ Yes ☐ No ☒ n/a

Organization Authorized Signature i.A.

*N. Lohse*

Date

27-Sep-22

Print Name i.A. N. Lohse

Phone No.

+49 (0) 4122 701 5726

Fax No.

+49 4122 701 241

Title Quality Assistant

E-mail

nescha.lohse@HellermannTyton.de

### FOR CUSTOMER USE ONLY (IF APPLICABLE)

PPAP Warrant Disposition: ☐ Approved ☐ Rejected ☐ Other

Customer Signature

Date

Print Name

Customer Tracking Number (optional)



**HellermannTyton**

99647

[illegible]

This letter is done automatically and is valid without signature.

DATE \_\_\_\_\_

27-Sep-22





HELLERMANN TYTON GMBH  
GROSSER MOORWEG 45  
TORNESCH, GERMANY 25436  
Attention : AXEL LANG

Ascend Performance Materials Operations LLC  
Nylon Plastics and Polymers  
3000 Chemstrand Road  
Cantonment, FL 32533  
Telephone : (850)968-7000

Certificate Date : 04-Mar-22

Delivery No : 382607871

Shipped Qty : 11,022.928 Lbs

5,000.000 Kgs

Customer P.O. No: 4500171533 AIFREIGHT

Container : 0000000000002089636

### Certificate of Analysis

This certifies that Nylon Resin shipped to you from Ascend Performance Materials Operations LLC has been tested and found to meet required specifications.

This material was produced under a Quality System that meets ISO 9001:2015 and IATF 16949:2016 criteria.

If you have questions or concerns about this Certificate of Analysis, please contact Ascend Performance Materials Customer Operations at 1-888-927-2363.

This product meets the requirements of the following specifications: SAE J1639, SAE J1639 PA0171, ASTM D6779-PA0161-Z1Z2, ASTM D4066 PA0161, FMVSS 302, MS-DB-41 CPN 1826, ESB-M4D178-A2, WSS-M99P23-C1/C2, WSS-M99P9999-A1, WSSM4D706B1, WSS-M99P1111-A, WSS-M4D706-A4, WSK-M4D706-A, GMW16447P-PA66-T2, GMW16558P-PA66-T1 and GMP.PA66.015, Ford WQ 100C.

Material: VYDYNE 47H BK0644

Material No: 10397365

Batch No: KA18FY04

Date of Mfg: 18-Jan-2022

### Ascend Performance Materials Operations LLC Specification

<u>Lot Data Property</u>	<u>Test Method</u>	<u>Min</u>	<u>Max</u>	<u>Result</u>	<u>Units</u>
Copper	STM 00667	125	250	202	PPM
Moisture	STM 00835	0.10	0.20	0.10	%
NOTCHED CHARPY	STM 01255	14.0		21.0	kJ/m <sup>2</sup>
Strength @ Yld	STM 01253	50	70	58	MPa

Note: This certificate is generated and controlled by electronic means. No signature is required. This document may not be reproduced, except in full, without written consent of the Nylon Plastics and Polymers Department, Ascend Performance Materials Operations LLC.

All information contained in this letter is provided for informational purposes only and is not meant to alter or waive the appropriate contractual product specifications. Moisture values are representative of the product at the time it was sampled. If numerical flame spread ratings appear herein, they are not intended to reflect the hazards presented by this or any other material under actual fire conditions. Each end user should determine whether potential fire hazards are associated with the finished product, and whether this resin is suitable for the particular end use.

This Certificate of Analysis is provided by Ascend Performance Materials (or its authorized distributor) to its direct purchaser only and is intended for internal use. It is not valid if resold, conveyed or otherwise transferred to another party without Ascend's prior written consent. Ascend makes no warranties and assumes no liability for any product or certification obtained from an unauthorized source. Contact Ascend at +1 713-315-5700 to confirm the validity of any third party supplier. Ascend and Vydine are registered trademarks of Ascend Performance Materials Operations LLC.

**POTENTIAL  
FAILURE MODE AND EFFECTS ANALYSIS  
(PFMEA)**

PFMEA Number: **MFMEA-1**

Part Number / Name: Cable Ties - Various Materials Process Responsibility: HellermannTyton Prepared by: Quality Assurance  
 Model Year(s) / Vehicle(s): NA Key Date: 3/11/1994 PFMEA Date Org: 3/11/1994 Rev. Date: See Footer  
 Core Team: Quality Assurance, Manufacturing, Automation, Receiving-Shipping Rev. Level: See Footer

Item & Function	Requirement	Potential Failure Mode	Potential Effect(s) of Failure	Severity	Class	Potential Cause(s)/ Mechanism(s) of Failure	Occurrence	Current Design Controls -Prevention -Detection	Detection	R P N	Recommended Action(s)	Responsibility & Target Completion Date	Action Results				
													Actions Taken	Severity	Occurrence	Detection	R P N
1-4 Incoming Receiving	Cert matches material and P.O. request	Unacceptable Moisture Levels	Cannot Manufacture	5	PTC	Shipping Damage	2	D - Incoming Inspection P - Material Certs	8	80	None						0
				5	PTC	Material received with moisture too high/low	2	D - Incoming Inspection P - Material Certs	8	80	None						0
		Improperly labeled	Delay in Manufacturing	4		Material received with wrong/missing label	2	D - Incoming Inspection P - Material Certs	8	64	None						0
5-8 Material Ratio  Central Material Handling System Operation	Acceptable material for production	Unacceptable Moisture Levels	Part Non-Compliance	5		Dryer malfunction	2	D - Dryer Alarms D - Moisture Testing P - Filter Cleaning P - Moisture Testing	5	50	Upgrade to Novatech system. Increase Moisture test freq.	Maintenance - 3/4/13  Mike Wendt - 8/30/13	New Dryer system  New moisture analyzers	5	2	2	20
		Contamination	Part Non-Compliance	5		Foreign Matter in Material	2	D - Visual Inspections P - Material Handling Work Instruction	8	80	Develop new material handling procedure	Mike Wendt - 8/30/13	Added color-coded container	5	2	6	60
			Part Non-Compliance	5		Unlike Materials Mixed Together	2	D - Visual Inspections P - Material Handling Work Instruction	8	80	New material ID system	John Gleason - 1/1/13	Material ID added to WO, New process for laminated cards on Material	5	2	5	50
		Incorrect Material	Part Non-Compliance	6		Wrong material hook-up at press	2	D/P - Visual to Work Order	8	96	Upgrade to Novatech system.	Maintenance - 3/4/13	ID proofing in new system upgrade	6	2	5	60
9 Molding Machine Set-up	Instructions for production	Work Order Set Up Incorrectly	Delay in Manufacturing	4		Work Order read incorrectly	2	D/P - Work Order D - Set-up Verification	8	64	Electronic Shift Log	John Gleason/Ross H. - 6/13	Computers added to work station. Sharepoint logs implemented	4	2	5	40
		Incorrect Blending	Part Non-Compliance / Breakage and Color Match Failures	5		Material blender set incorrectly	2	D/P - Visual to Work Order	8	80	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	2	7	70
		Excess Plastic on Tie	Part Non-Compliance	5		Hot Excess Runner	2	D - Visual Inspections	8	80	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	2	7	70

		Issues					P - Process Inspections			Inspection	Anderson - 7/14	Quality tree					
				5		Improper start-up	1	D - Visual Inspection D - LPA at startup P - Final Inspections	8	40	Increase frequency of functional testing (insertion).	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	1	5	25
		Soft Insertions	Part Non-Compliance	5		Thermolator Malfunction	1	D - Visual Inspections D - Process Inspections P - First Piece Approvals D - Hand Insertion	6	30	Add audible warning	Manit. - 9/13	Audible alarms added to all Thermolator to detect temp. dev.	5	1	3	15
				5		Incorrect Tonnage	2	D- Visual Inspections D- Hand Insertions P - First Piece Approvals P - In Process PM's	5	50	None						0
				5		Start-up/Cycle Interruptions	4	D- Visual Inspections D - Process Inspections D- Hand Insertions	4	80	None						0
				5		Fast Cycle Time	2	D - Visual Inspection D - Process Inspections D - Hand Insertions P - First Piece Approvals	6	60	Increase frequency of functional testing (insertion).	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	2	5	50
				6		Leader Pin/Sidelock Wear	2	D - Visual Inspections D - Process Inspections D - Hand Insertions P - First Piece Approvals P - In Process PM	6	72	Increase frequency of functional testing (insertion).	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	6	2	5	60
		Plugged Sprue Tips / Gates (Hot Manifold/Valve-Gated Molds)	Part Non-Compliance / Unbalanced Fill	3		Material Contamination	2	D- Visual Inspections D - Process Inspections P - Magnets in Hopper and Melt Filters on Nozzle	8	48	Increase frequency of functional testing (insertion).	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	3	2	5	30
		Start up scrap packaged	Customer Dissatisfaction	3		Automation equipment started too early after start up of process re-start.	4	P - Visual Inspection P - Work Instructions P - Automation disable	5	60	None						0
10 First Piece Approval  Injection Molding	Manufacturing a conforming part per specifications	Sinks in heads and straps	Part Non-Compliance Tensile and Wire Bundle Failures	3		Insufficient Hold Pressure	2	D- Visual Inspections P - First Piece Approvals	8	48	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	3	2	6	36
				3		Cycle Time Too Fast	2	D- Visual Inspections P - First Piece Approvals	8	48	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	3	2	6	36



Process	Incorrect Blending	Part Non-Compliance / Breakage and Color Match Failures	5		Material Handling Error	2	D/P - Visual to Work Order	8	80	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	2	6	60
	Burnt tips	Part Non-Compliance / Cosmetic Issues / Short	3		Plugged/Worn Vents	3	D- Visual Inspections P - First Piece Approvals P - In process PM's	8	72	- Increase Visual inspection  - PM	John Gleason/Dean Anderson - 7/14  - Mike Wendt - 9/12	- Implemented Quality tree  -Ice Blasting to clean mold per shift	3	2	6	36
	Sticking in mold	Part Non-Compliance / Mold Damage	5		Excessive Mold Temperatures	2	D- Visual Inspections P - First Piece Approvals	8	80	Add audible warning	Manit. - 9/13	Audible alarms added to all Thermolator to detect temp. dev.	5	2	5	50
			5		Excessive Hold Pressure	2	D- Visual Inspections P - First Piece Approvals	8	80	Increase frequency of functional testing.	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	2	6	60
			5		Residue Build-Up	2	D- Visual Inspections P - First Piece Approvals	8	80	- PM Schedule - Increased Visual inspection	Mike Wendt - 9/12	- Ice Blasting to clean mold per shift - Implemented Quality Tree	5	2	5	50
			5		Water hooked up incorrectly	2	D-Visual Inspection	6	60	None						0
			3		Packaging interruptions Degator Jams	3	D- Visual Inspections P - First Piece Approvals	8	72	None						0
			5		Heater band malfunctions	2	D- Visual Inspection D - Process Inspection P - PM	5	50	None						0
	Excess Plastic on Ties	Part Non-Compliance	5		Hot Excess Runner	2	D - Visual Inspections P - Process Inspections	8	80	Increase Visual inspection  Replace side locks M2530	John Gleason/Dean Anderson - 7/14 Kevin Paske 4/30/15	Implemented Quality tree  Side locks replaced.	5	2	7	70
	Blocked/Misformed Head	Part Non-Compliance	5		Broken Insert/Ejector Blade	2	D - Visual Inspection P - Final Inspection	8	80	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	2	7	70
	Cut Head	Part Non-Compliance	5		Automation Malfunction	2	D - Visual Inspection P - Final Inspection	8	80	Add audible warning cup will be flagged-operator to clear alarm and empty cups then scrap parts.	Curt Rice 07/15	Implemented alarm allowing the operator to scrap parts after cups are emptied.	5	2	7	70
	Missing or Extended Pawl	Part Non-Compliance	5		Thermolator Malfunction	1	D - Visual Inspections D - Process Inspections P - First Piece Approvals D - Hand Insertion	6	30	Add audible warning	Manit. - 9/13	Audible alarms added to all Thermolator to detect temp. dev.	5	1	3	15
			5		Restart(Mold Cleaning)	1	D/P- Visual Inspections D/P - Hand Insertion	5	25	None						0
			5		Improper start-up	1	D - Visual Inspection D - LPA at startup P - Final Inspections	8	40	Increase frequency of functional testing (insertion).	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	1	5	25

		5	Cycle Time Too Fast	1	D - Visual Inspections P - Final Inspections	8	40	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	1	6	30
		5	Worn inserts	2	D - Visual Inspections P - Final Inspections	6	60	Replace fir tree inserts M0340  Replace fir tree insert #14 and mark each insert M0327	Replace inserts M0340 Kevin Paske 6/14  Kevin Paske 01/15	All Inserts replaced and insert check on mold checklist  Insert #14 replaced.	5	1	6	30
Soft Insertions	Part Non-Compliance	5	Thermolator Malfunction	1	D - Visual Inspections D - Process Inspections P - First Piece Approvals	6	30	Add audible warning	Manit. - 9/13	Audible alarms added to all Thermolator to	5	1	3	15
		5	Cycle Time Too Fast	1	D - First Piece P - Process Inspections	6	30	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	1	6	30
Shorts	Part Non-Compliance / Cosmetic	3	Insufficient Injection Pressure compatibility of Press / mold	4	D- Visual Inspections P - First Piece Approvals P - In process PM's	8	96	Gauges to Detect insertion force	Dean Anderson - 11/13	Developed and implemented Go/No Gauges	3	3	5	45
		3	Plugged/Worn Vents	4	D- Visual Inspections P - First Piece Approvals P - In process PM's	8	96	Gauges to Detect insertion force	Dean Anderson - 11/13	Developed and implemented Go/No Gauges	3	3	5	45
		3	Residue Build-Up	4	D- Visual Inspections P - First Piece Approvals P - In process PM's	8	96	- PM Schedule  - Gauges	Mike Wendt - 9/12  Dean Anderson - 11/13	Ice Blasting to clean mold per shift  Go/No Go Gauges	3	2	5	30
		3	Lot / Moisture Variations	3	D- Visual Inspections D - First Piece Approvals P - Material Certs P - Moisture Analysis	8	72	Develop moisture testing schedule	Mike Wendt - 8/13	Purchased Moisture Analyzers. Implemented testing procedure	3	2	5	30
		3	Process Interruption	3	D- Visual Inspections D - First Piece Approvals P - Material Certs P - Moisture Analysis	3	27	Gauges to Detect insertion force	Dean Anderson - 11/13	Developed and implemented Go/No Gauges	3	2	5	30
Flash	Part Non-Compliance / Insertion Failures / Cosmetic	5	Excessive Injection Pressure	4	D- Visual Inspections D - Hand Insertions P - First Piece Approvals P - In Process PM's	6	120	Increase frequency of functional testing (insertion).	John Gleason/Dean Anderson - 7/14	Implemented Quality tree  Go/No Gauges	5	3	5	75

5		Incorrect Tonnage	4	D- Visual Inspections D- Hand Insertions P - First Piece Approvals P - In Process PM's	6	120	- Upgrade Presses (Replace Van Dorn) - Capacity Plan/Controls on Routing Changes - Increase visual inspection	Rick R - Ongoing  - John Gleason  - John Gleason/Dean Anderson - 7/14	Replaced Toggle with hydraulic/electri c clamp style.  Introduce MIE Group to manage proper routing Go/No Gauge	5	2	5	50
5		Water hook up incorrect on sub gated tools	4	D- Visual Inspections D - Process Inspections D- Hand Insertions	4	80	None						0
5		Start-up/Cycle Interruptions	3	D- Visual Inspections D - Process Inspections D- Hand Insertions	4	60	Increase the number of drops to 15 for startup/restart on A07 for T30R0HS- M2235	Curt Rice -12/14	Number of drops verified to 15.	5	2	4	40
5		Clamp pressure on press	3	D- Visual Inspections D - Process Inspections D- Hand Insertions	4	60							0
5		Worn inserts	2	D- Visual Inspections D - Process Inspections D- Hand Insertions	4	40	T18RA and T30RA add a tool test to see if the product performs in the tool	Gwen B & Taleala W. 9/25/14	Tool test implemented 1 time per day.	5	4	3	60
5		Broken Insert/Ejector Blade	4	D- Visual Inspections D - Process Inspections D- Hand Insertions	6	120	Increase frequency of functional testing.	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	3	5	75
5		Thermolator Malfunction	4	D - Visual Inspections D - Process Inspections P - First Piece Approvals D - Hand Insertion	6	120	Add audible warning	Manit. - 9/13	Audible alarms added to all Thermolator to detect temp. dev.	5	1	3	15
6		Barrel Heat Malfunction	4	D - Visual Inspections D - Process Inspections D - Parameter/Heat Checks D - Hand Insertions P - First Piece Approvals	7	168	Add automated controls	Danny Shereran - 12/8	SPC setup to trigger faults	6	4	3	72
5		Worn inserts	2	D - Visual Inspection D - Process Inspections D - Hand Insertions P - First Piece Approvals	6	60	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	1	6	30
5		Fast Cycle Time	2	D - Visual Inspection D - Process Inspections D - Hand Insertions P - First Piece Approvals	6	60	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	1	6	30

		5	Dirty Inserts	2	D - Visual Inspections D - Process Inspections D - Hand Insertions D - Parameter/Heat Checks P - First Piece Approvals P - In Process PM	6	60	Increase Visual inspection	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	1	6	30
		5	High oil temperature on press due to insufficient water to cool	3	D - Visual Inspections D - Process Inspections D - Hand Insertions P - First Piece Approvals P - In Process PM	6	90	Increase frequency of functional testing.	John Gleason/Dean Anderson - 7/14	Implemented Quality tree	5	3	5	75
Mold Mismatch	Part Non-Compliance/High Insertion Force	6	Poor Mold Alignment	2	D - Visual Inspections D - Process Inspections D - Hand Insertions P - First Piece Approvals P - In Process PM	6	72	- Increase Visual inspections	-John Gleason/Dean Anderson - 7/14	- Quality tree	6	2	5	60
		6	Leader Pin/Sidelock Wear	2	D - Visual Inspections D - Process Inspections D - Hand Insertions P - First Piece Approvals P - In Process PM	6	72	-PM  - Increase Visual Inspection	Dan Sheeran - 11/12  - John Gleason/Dean Anderson - 7/14	- Tech now conduct inspections doing cleaning schedule - Quality Tree	6	1	6	36
Deep ejector pins	Part Non-Compliance/High Insertion Force	3	Excessive Hold Pressure	3	D - Visual Inspections D - Process Inspections	6	54	None						0
		3	Thermolator Malfunction	2	D - Visual Inspections D - Process Inspections D - Hand Insertions P - First Piece Approvals P - In Process PM	3	18							0
		3	Fast Cycle Time	2	D - Visual Inspections D - Process Inspections D - Hand Insertions P - First Piece Approvals P - In Process PM	6	36	- Increase Visual inspections	-John Gleason/Dean Anderson - 7/14	- Quality tree	3	2	5	30
Plugged Sprue Tips / Gates (Hot Manifold/Valve-Gated Molds)	Part Non-Compliance / Unbalanced Fill	3	Material Contamination	2	D- Visual Inspections D - Process Inspections P - Magnets in Hopper and Melt Filters on Nozzle	8	48	None						0
		3	Mold Heater Malfunction	2	D- Visual Inspections D - Process Inspections	8	48	None						0
		3	Valve Gate Malfunction	2	D- Visual Inspections D - Process Inspections	8	48	None						0
Elongated Sprues	Part Non-Compliance / Cut Heads and Missing Paws	6	Inadequate Cooling	2	D- Visual Inspections D - Process Inspections	7	84	None						0
Start up scrap packaged	Customer Dissatisfaction	3	Automation equipment started too early after start up of process re-start.	4	P - Visual Inspection P - Work Instructions P - Automation disable switch during changeover D - Final Inspection D - Process Inspection	5	60	- Increase Visual inspections	-John Gleason/Dean Anderson - 7/14	- Quality tree	3	3	5	45

				3	Automation equipment started too early after start up of process re-start.	3	P - Visual Inspection P - Work Instructions P - Automation disable switch during changeover D - Final Inspection D - Process Inspection	5	45	- Increase Visual inspections	-John Gleason/Dean Anderson - 7/14	- Quality tree	3	3	5	45
11 First Piece Approval	Product Conforms per specifications before production	First Piece Not Hung	Delay in Manufacturing	6	Failure to hang First Piece	1	D/P - Tool Evaluation Sheet	8	48	None						0
12 Validation Testing	Validation and Documentation of New Tooling	Validation is Not Completed	Part Non-Compliance	6	Validation Testing Forgotten	1	D/P - New Tool Evaluation Sheet	8	48	None						0
13-16 Packaging and Automation	Package product per customers specifications	Incorrect or Missing Date Code on the Bag/Box	Traceability Loss	3	Printer Malfunction	3	D - Visual Inspections D - Final Inspections P - Date Code Calendar	5	45	None						0
				3	Wrong/no date code on packaging	3	D - Visual Inspections D - Final Inspections P - Date Code Calendar P - Work Instructions	7	63	None						0
		Degator Jams	Part Non-Compliance	5	Parts Not Aligned	4	D - Visual Inspection P - Machine Alarms	5	100	None	Curt Rice 6/9/2014  Dan Gildner 4/3/2015	Addition of Degator Guides and warped sprue detection. Add checklist for degator jam clearance verification for those presses with guide bars	5	4	4	80
			Loss Production	5	Dull Cutter Blades	4	D - Visual Inspection D - Process Inspection P - PM	7	140	None	Curt Rice 6/9/2014	Addition of Degator Guides and warped sprue detection.	5	2	6	60
				5	Cylinder Failure	4	D - Visual Inspection D - Process Inspection P - PM	3	60	None	Curt Rice 9/1/2014	Replaced all Pneumatic Pusher Cylinders with Servo drive	5	2	3	30
		Incorrect Degator alignment	Cut Heads	5	Improper Set-up	2	D- Visual Inspection D - Process Inspection P - PM	7	70	None	Curt Rice 5/5/2014	Manufactured Guide	5	2	5	50
					Manual Degator Jams	4	D- Visual Inspection D - Process Inspection P - PM	4	80	None						
					Automated Degator Jams	3	D- Visual Inspection D - Process Inspection P - PM P- Degater Alarm	4	60	None						

			Improper part feed	2	D- Visual Inspection D - Process Inspection P - PM P- Degater Alarm	5	50	Add guidance bars.  Add detection for T18R Press- A17	Curt Rice 10/30/13  Curt Rice 10/28/14	Guidance bars verified.  Detection verified- machine will shut down if cut heads are detected	5	2	3	30
			Part missing from lead in edge of runner	2	D- Visual Inspection D - Process Inspection P - PM P- Degater Alarm	5	50	None						
Greasy Parts Packaged	Part Non-Compliance	4	Robot Drags the Parts Across the Leader Pins	1	D - Visual Inspection D - Process Inspection P - PM	7	28	None	Curt Rice	Removed all side entry robots.	4	1	7	28
Incorrect Moisture in Bags	Part Non-Compliance / Parts Conditioned Incorrectly	3	Water Dosing system failure	2	D - Monitoring Water D - Final Inspection	5	30	None	Curt Rice	Removed all key switches	3	2	5	30
		3	Water Supply Not On	2	D - Monitoring Water D - Final Inspection	2	12	None	Curt Rice	Removed all key switches	3	2	5	30
		3	Dirty or Clogged Filter	2	D - Monitoring Water D - Final Inspection P - Preventative Maintenance P - dosing system monitors flow	2	12	None	Curt Rice	Removed all key switches	3	2	5	30
		3	Improper Timer Setting	3	D - Monitoring Water P-dosing system monitors flow	5	45	None	Curt Rice	Removed all key switches.	3	2	5	30
		3	Bad Bag Seals leak water	2	D - Visual Inspection D - Monitoring Water D - Final Inspection	6	36	None						
Mis-labeling	Customer Dissatisfaction	3	Printer Ribbon not Inserted Properly	2	D - Visual Inspections D - Final Inspections P-Work order sign-off	7	42	None						0
		3	Wrong Labels Placed on Product	4	D - Visual Inspections D - Final Inspections P - LPA P-Work order sign-off	7	84	None						0
		3	Wrong Pre-labeled Bag for Product	4	D - Visual Inspections D - Final Inspections P - LPA P-Work order sign-off	7	84	None						0
		3	Excess Labels not Removed From Production Area	4	D - Visual Inspections D - Final Inspections P - LPA P-Work order sign-off	7	84	None						0
		3	Wrong label provided	3	D - Visual Inspections D - Final Inspections P - LPA P-Work order sign-off	7	63	None						0
Insufficient Bag Seals	Part Non-Compliance	3	Sealer Tape Worn	4	D - Visual Inspection D - Final Inspection	7	84	Checking bag seal integrity twice per shift	John Gleason/Dean Anderson - 7/14	Integrated into the electronic shift	3	4	6	72

				3	Bag Wrinkled/Bag Mil Thickness Inconsistencies	4	D - Visual Inspection D - Final Inspection	7	84	None							0
				3	Sealer Malfunctions	2	D - Visual Inspection D - Final Inspection	7	42	None							0
				3	Material stuck on sealer	4	D - Visual Inspection D - Final Inspection P - Incoming Inspection	7	84	None							0
				3	Improperly Adjusted Timer	4	P - Work Instruction D - Visual Inspection	7	84	None							0
				3	Teflon coating worn Rennco baggers	3	P - Work Instruction D - Visual Inspection P-In-process PM's	7	63	New packaging system	Curt Rice - 1/2015	integrating new packaging system	3	2	6	36	
		Insufficient Packaging	Customer Dissatisfaction	3	Issues with the Bag Stock (Not Quantity)	3	D - Visual Inspection D - Final Inspection	7	63	None							0
				3	Insufficient Packaging Supplies	4	D - Visual Inspection D - Final Inspection	7	84	None							0
		Incorrect Quantity in Bag	Customer Dissatisfaction	4	Robot grippers failed to place parts	3	D - Visual Inspection P - Final Inspection	7	84								0
				4	Pick and Place Grippers Drop Parts	3	D - Visual Inspection P - Final Inspection	7	84	None							0
				4	Degator Jams	3	D - Visual Inspection P - Final Inspection	5	60	None							0
				4	Inconsistent Bag Width	3	P/D - Visual Inspection	7	84	None							0
		Missing or Incorrect Hang Hole	Customer Dissatisfaction	4	Bag register mark Inconsistencies	2	P/D - Visual Inspection	8	64	None							0
				4	Bags not Webbed Correctly	2	P/D - Visual Inspection	8	64	None							0
				4	Too Much Air in Bag	2	P/D - Visual Inspection	8	64	None							0
				4	Cylinder Failure	2	D - Visual Inspection P - PM	8	64	None							0
		Incorrect Quantity in Box	Customer Dissatisfaction	4	Improper Scale Set Up	3	D - Visual Inspection D - Final Inspection P - Bag Counter (T18R-C)	5	60	None							0
				4	Scale Out of Calibration	1	D - Visual Inspection D - Final Inspection P - Calibration Schedule	5	20	None							0
		Parts mixed	Customer Dissatisfaction	4	Operator mixed product from previous work order	2	D - Visual Inspection D - Final Inspection	6	48	None							0
17 Final and Live Inspection	Product conforms per specifications after production run.	Bad Product Shipped	Customer Dissatisfaction	8	Inspection Not Performed by QA	1	D/P - Final and Live Inspection	1	8	None							0
				7	Bad Product not Found in Random Sampling	2	D /P- Final and Live Inspection	7	98	None							0

		Water Verification Incomplete	Part Non-Compliance	6		Water not Verified During Process Inspection	1	D/P - Shift Log or Share Point. P- Final and Live Inspection	1	42	None						
18-19 QA Testing	Validation and documentation of product per specifications	Daily Testing Incomplete	Part Non-Compliance	6		Testing Not Performed by QA	1	D/P - Weekly Matrix, First Piece Acceptance. P- Daily Production Meeting	3	18	None						0
		Weekly Testing Incomplete	Part Non-Compliance	6		Testing Not Performed by QA	1	D/P - Weekly Matrix P- Daily Production Meeting	3	18	None						0
				5		Damaged Shipment	2	D - Visual Inspection D - Final Inspection	8	80	None						0
				5		Customer Specific Requirements Not Met	2	D - Visual Inspection P - Final Inspection	8	80	None						0
20-21 Material Movement Shipping	Ship Product per Specifications to Warehouses	Shipped Incorrectly	Customer Dissatisfaction	5		Late Shipment	2	D - Visual Inspection D - Final Inspection	8	80	None						0
				5		Damaged Shipment	2	D - Visual Inspection D - Final Inspection	8	80	None						0
				5		Customer Specific Requirements Not Met	2	D - Visual Inspection P - Final Inspection	8	80	None						0
22 Annual Validation (if required)	Meet customer requirements	Annual Validation not Completed	Customer Dissatisfaction	5		Customer Specific Requirements Not Met	2	D/P - PPAP Matrix P-Training Quality Personnel	2	20	None						0

PTC = Pass Through  
Characteristic



## PROCESS FLOW DIAGRAM

Part Description:	Cable Tie	Program Name:	Cable Ties
HT Dwg.# and Rev:	Various	Created By:	Gwendolyn Benz
Customer P/N and Rev:	Various	Creation Date:	03/11/94
Customer Name:	Various		

	Process "n"	Move "u"	Store "i"	Inspect "x"	Operational Description:	Special Characteristics / Descriptions	Control Methods
1	■				Incoming Receiving QA Receives C of A from Raw Material Supplier	C of A	ERP system
2	■				Incoming Receiving Receive in Raw Materials From	Quality Approval of Material	ERP system
3				☒	Incoming Receiving Shipping and Receiving Inspects Raw Material	Review Container, Packaging, Lot Numbers and Quantity of Material	ERP system
4				☒	Incoming Receiving QA Inspects Color of Material (If Needed)	Review Color of Material	ERP system
5		◆			Material Movement	Move Raw Materials into Storage	ERP system
6			●		Material Movement	Store Raw Materials until needed	FIFO By Lot
7		◆			Material Movement	Move Materials to material handling system and Verify Correct Material Moisture Check on Silo Materials	Material Process Log F- PRD-8.1-4 and Moisture Log F-QA-10.3-9
8	■				Material Ratio	Verify Correct Material	Material Process Log F- PRD-8.1-4
9	■				Molding Machine Set Up	Verify Mold Machine is Set Up	Per Set-Up Instructions F-PRD-8.1-4
10				☒	First Piece Approval QA Completes (Injection Molding)	Short Shots, Any Flash, Color, and Hand Insertions	First Piece Acceptance F-QA-10.3-5
11	■				First Piece Approval	Hang First Piece	Visual At Press
12				☒	Validation Testing	Validate Parts	Measurements - Refer to Control Plan
13	■				Work order set-up  LPA	Validate work order to materials, labels, etc LPA-Random Audit	Visual, Signed Set-up Stamp on Work Order F-PRD-9
14				☒	In Process Checks ( Injection Molding)	Short Shots, Any Flash, Color, and Hand Insertions	Per Control Plan
15				☒	Packaging	Verify Seals, Water, Date Code, Labels, Hole Punch, Box Quantity	Inspection Stamp/Label (Initialed and Dated) on Box / Share Point / Shift Log F-PRD-1.1 / Placard
16				☒	Visual Appearance	Check Ties for Visual Defects	
17				☒	Final and Live Inspection Inspection	Quality Approval of Final Product	F-QA-10.4-21/ Share Point
18				☒	QA Testing	Verify Daily Testing Has Been Completed	Per Control Plan
19				☒	QA Testing	Verify Weekly Testing Has Been Completed	Per Control Plan
20		◆			Material Movement	Move Skid To Shipping Dock	ERP System
21		◆			Material Movement	Ship Product to Warehouse	Shipping Manifest ERP System
22				☒	Annual Validation (If Required)	PPAP Parts on Yearly Basis if Required	PPAP Matrix

☐ Prototype ☐ Pre-Launch ☒ Production

## Control Plan

Control Plan Number: <b>MCP-1</b>			Key Contact/Phone: <b>414.355.1130</b>				Date (Orig.) <b>03/11/94</b>		Date & Revision <b>See Footer</b>			
Part Number/Latest Change Level: <b>Cable Ties - Various Materials</b>			Core Team: <b>Quality Assurance, Manufacturing, Automation, Receiving-Shipping</b>				Customer Engineering Approval/Date (If Req'd) <b>NA</b>					
Part Name/Description <b>Cable Ties - Various Materials</b>			Supplier/Plant Approval/Date <b>07/28/05</b>				Customer Quality Approval/Date (If Req'd) <b>NA</b>					
Supplier/Plant: <b>HellermannTyton MKE</b>		Supplier Code: <b>NA</b>		Other Approval/Date (If Req'd) <b>NA</b>				Other Approval/Date (If Req'd) <b>NA</b>				
Quality Assurance		Material Handler		Process Tech / Auto Technician			Operator		QA and/or Team Supervisor		Shipping and/or Receiving	
Part / Process Number	Process Name / Operation Description	Machine, Device, Jig, Tools for MFG.	CHARACTERISTICS			Special Char. Class	METHODS					Reaction Plan
			NO.	PRODUCT	PROCESS		Product/Process Specification/ Tolerance	Evaluation/ Measurement Technique	SIZE		Control Method	
									Size	Freq		
1-4	Incoming Receiving		1	Material Characteristics			Per Certificate of Analysis DTL/D of FMVSS302	Visual Material Cert	Each Lot	Each Lot	ERP System	Isolate lot PR-QA-13.1-2
			2	Quantity			Per Packing List	Gaylord Count	Each Lot	Each Lot	ERP System	Notify Purchasing
			3	Packaging Requirements			Packaging meet Requirements	Gaylord Visual	Each Lot	Each Lot	WI-SR-10.2-1	Notify Purchasing and QA
			4	Lot Number			Per Packing List	Gaylord Visual	Each Lot	Each Lot	ERP System	Notify QA
			5	Material Color			Per Color Chip	Material Visual	Each Lot	Each Lot	ERP System	Isolate lot PR-QA-13.1-2
5-7	Material Movement	Material Handling System	1		Move Material to Material Handling System		Correct Material is set up in the Material Handling System per Work Order	Visual	Each Material Change	Each Material Change	Material Process Log F-PRD-8.1-4	Isolate Lot PR-QA-13.1-2
			2		Check moistres in Silo Materials		Perform Moistures per TS-WI-MAX400XL	Computrac Max 4000XL	1 Sample/Material	Daily	Moisure Log F-QA-10.3-9	Check and Adjust Dryers / Control of Non-Conforming Product PR-QA-13.1-2
8	Material Ratio	Material Handling System	1		Material Ratio		Set up Per Work Order	Visual	Each material Change	Each Material Change	Material Process Log F-PRD-8.1-4	Isolation PR-QA-13.1-2 Adjust Ratio
			2		Colorant (When Needed)		Mix Ratio Setting According to S-PRD 9.1-19 / Set Up Per Work Order	Ratio Setting	Each Lot	Each Colorant	Material Process Log F-PRD-8.1-4	Isolation PR-QA-13.1-2 Adjust Ratio
9	Molding Machine Set-up	Injection Molding Machine	1		Machine Set-Up		Per Mattec, Set-Up Sheet, and Acceptable Visual Part and Hand Insertion	Review of Set-Up Specs	Each Set Up	Each Set Up	Machine Set-Up Sheet F-PRD-9.6-1	Adjust Process/Recheck Isolation PR-QA-13.1-2
		Thermal Transfer Machine (If Needed)	2		Machine Set-Up		Set up Foil Applicator for Stripes (If Necessary)	Review of Set-Up Specs	Each Set Up	Each Set Up	Work Order	Adjust Process/Recheck Isolation PR-QA-13.1-2
10-11	First Piece Approval Visual	Injection Molding Machine	1	Part Quality			Check For Flash, Shorts, Blocked Heads, Mismatch, Color(If Needed)	Visual	1 Shot	Each Set Up	First Piece Acceptance F-QA-10.3-5 and Hung at Press	Adjust Process Retest / Control of Non-Conforming Product PR-QA-13.1-2
	First Piece Approval Hand Insertion	Injection Molding Machine	2	Insertion Properties of Cable Tie			No Hard Insertions, Slippage or Cracked Inserts Allowed. Breakage Testing According to WI-QA-10.3-2	Hand Insertion Process Inspection Check Per WI-QA-10.3-2	1 Shot	Each Set Up	First Piece Acceptance F-QA-10.3-5 and Hung at Press	Adjust Process Retest / Control of Non-Conforming Product PR-QA-13.1-2

Quality Assurance		Material Handler	Process Tech / Auto Technician				Operator		QA and/or Team Supervisor			Shipping and/or Receiving
Part / Process Number	Process Name / Operation Description	Machine, Device, Jig, Tools for MFG.	CHARACTERISTICS			Special Char. Class	METHODS					Reaction Plan
			NO.	PRODUCT	PROCESS		Product/Process Specification/ Tolerance	Evaluation/ Measurement Technique	SIZE		Control Method	
									Size	Freq		
12	Validation Testing	Injection Molding Machine	1	Push In / Push On Force (If Needed)			Per Drawing / SQC Pack	Force Tester or Tensometer	1 Shot	At Initial Validation Testing	SPC Software	Control of Non-Conforming Product PR-QA-13.1-2
		Injection Molding Machine	2	Pull Out/Pull Off Force (If Needed)			Per Drawing / SQC Pack	Force Tester or Tensometer	1 Shot	At Initial Validation Testing	SPC Software	Control of Non-Conforming Product PR-QA-13.1-2
		Injection Molding Machine	3	Dimensional			Perform Dimensional on the Part	Calibrated Gages per Dimensional Study	1 shot	At Initial Validation Testing	Dimensional Study F-QA-10.4-2	Control of Non-Conforming Product PR-QA-13.1-2
		Injection Molding Machine	4	Test for Minimum Wire Bundle			Minimum Wire Bundle Requirements Per Print	Wire Bundle Test	1 Shot	At Initial Validation Testing	SPC Software	Control of Non-Conforming Product PR-QA-13.1-2
		Injection Molding Machine	5	Tensile Strength			Tensile Strength of Tie Must Meet Minimum Requirements Per Print	Tensile Tester WI-QA-10.3-14	1 Shot or 100pcs Minimum	At Initial Validation Testing	SPC Software	Control of Non-Conforming Product PR-QA-13.1-2
13	Work Order Set-Up TEAM SUPERVISOR or MOLD TECH	Packaging Equipment	1	Packaging Requirements			Validate Material and Packaging Requirements per Work Order	Visual	1	Each Work Order	Signed Set-Up Stamp on Work Order	Adjust Process Control of Non-Conforming Product PR-QA-13.1-2
	Layered Process Audit	Production Process	2		Production process		Per questions on LPA form F-PRD-9	Visual	1	Shift	Layered Process Audit Form F-PRD-9	Adjust Process Control of Non-Conforming Product PR-QA-13.1-2 (if applicable)
14	In Process Checks Completed Hand Insertion/Visual Process Inspection	Injection Molding Machine	1	Hand Insertions			No Hard Insertions, Slippage or Cracked Inserts Allowed. Breakage Testing According to WI-QA-10.3-2	Hand Insertion Process Inspection Check Per WI-QA-10.3-2	1 Shot	Twice per Shift	Share Point or Shift Log F-PRD-1.1	WI-PRD-13.1-3 Adjust Process/ Notify Supervisor and QA
		Injection Molding Machine	2	Process Set-Up			Work Order Matches MIU / Cavity Count Matches Actual / Cycle Time is to Standard or Adjusted Notes	Visual	Once	Per Shift	Share Point or Shift Log F-PRD-1.1	Recheck / Control of Non-Conforming Product PR-QA-13.1-2
		Injection Molding Machine	3	Part Quality			Check For Flash, Shorts, Blocked Heads, Mismatch, Color(If Needed)	Visual	1 Shot	4x per Shift and 1 x per each start-up	Share Point or Shift Log F-PRD-1.1	WI-PRD-13.1-3 Adjust Process/ Notify Supervisor and QA
15-16	Packaging Packaging Operator Process Inspections	Injection Molding Machine	1	Visual Appearance			Check Ties for Visual Defects	Visual	1 Shot	Per Hour	Inspection Stamp/Label (Initialed and Dated) on Box and Share Point or F-PRD-1.1	Notify Supervisor, Processing Tech and QA
		Injection Molding Machine	2	Hand Insertions			No Hard Insertions	Hand Insertion Process Inspection Check	1 Shot	Per Hour for molds under 38 cavities, Every 30 min for 39-100 cavities, 1x per shift for 101-200 cavities, 1x per shift for 201-300 cavities, 1x per shift for 301-400 cavities, 1x per shift for 401-500 cavities, 1x per shift for 501-600 cavities, 1x per shift for 601-700 cavities, 1x per shift for 701-800 cavities, 1x per shift for 801-900 cavities, 1x per shift for 901-1000 cavities	Inspection Stamp/Label (Initialed and Dated) on Box	Recheck / Control of Non-Conforming Product PR-QA-13.1-2
		Injection Molding Machine	3	Hand Insertions			No Hard Insertions	Hand Insertion Process Inspection Check	1 Shot	Per Hour for molds under 38 cavities, Every 30 min for 39-100 cavities, 1x per shift for 101-200 cavities, 1x per shift for 201-300 cavities, 1x per shift for 301-400 cavities, 1x per shift for 401-500 cavities, 1x per shift for 501-600 cavities, 1x per shift for 601-700 cavities, 1x per shift for 701-800 cavities, 1x per shift for 801-900 cavities, 1x per shift for 901-1000 cavities	Inspection Stamp/Label (Initialed and Dated) on Box	Notify Supervisor, Processing Tech and QA


Quality Assurance		Material Handler	Process Tech / Auto Technician				Operator		QA and/or Team Supervisor			Shipping and/or Receiving
Part / Process Number	Process Name / Operation Description	Machine, Device, Jig, Tools for MFG.	CHARACTERISTICS			Special Char. Class	Product/Process Specification/ Tolerance	Evaluation/ Measurement Technique	METHODS			Reaction Plan
			NO.	PRODUCT	PROCESS				SIZE		Control Method	
									Size	Freq		
		Machine	2	Hand Inspections			No Hand Inspections	Inspection Check per WI-QA-10.3-2	1 Shot	Every Other Hour for cavitation over 38	and Share Point or F-PRD-1.1	Recheck / Control of Non-Conforming Product PR-QA-13.1-2
		Sealer	3	Proper Bag Seal			Bag Must Have a Complete and Un-Wrinkled Seal	Visual and Pull at Seams	1 bag	Twice per Shift	Inspection Stamp/Label (Initialed and Dated) on Box and Share Point or F-PRD-1.1	Adjust Process/ Notify Supervisor or QA
												Recheck / Control of Non-Conforming Product PR-QA-13.1-2
		Waters in Bag	4	Amount of Water Added Per Bag			Per Work Order	Scale WI-PRD-10.3-1	1 measurement	2 Times Per Shift	Inspection Stamp/Label (Initialed and Dated) on Box and Share Point or F-PRD-1.1	Notify Supervisor and Quality Assurance / Adjust Process
												Recheck / Control of Non-Conforming Product PR-QA-13.1-2
		Date Code	5	Date Code Stamp			Bag and Box Must Have Correct Data Code S-PRD-8.1-6	Visual	Once	Per Shift	Inspection Stamp/Label (Initialed and Dated) on Box and Share Point or F-PRD-1.1	Adjust Process/ Notify Supervisor and QA
												Recheck / Control of Non-Conforming Product PR-QA-13.1-2
		Labels	6	Bag and Box Labels			Bag and Box Labels Must Match Work Order	Visual	2 Checks	Per Shift	Inspection Stamp/Label (Initialed and Dated) on Box and Share Point or F-PRD-1.1	Adjust Process/ Notify Supervisor and QA
												Recheck / Control of Non-Conforming Product PR-QA-13.1-2
		Packaging Equipment	7	Hole Punch (Where Applicable)			Hole Punch Must Be Within Header Boundaries and Complete	Visual	Once	Per Shift	Inspection Stamp/Label (Initialed and Dated) on Box and Share Point or F-PRD-1.1	Adjust Process/ Notify Supervisor and QA
												Recheck / Control of Non-Conforming Product PR-QA-13.1-2
		Scale / Conveyor Check	8	Scale / Conveyor Verification for Count			Verify Scale is Counting Correctly / Conveyor has correct number of parts	Using Scales to Package Product WI-PRD-16 or Hand Count	Twice	Per Shift	Inspection Stamp/Label (Initialed and Dated) on Box and Share Point or F-PRD-1.1	Adjust Process/ Notify Supervisor and QA
												Recheck / Control of Non-Conforming Product PR-QA-13.1-2
17	Final Inspection at the Cell	Injection Molding Machine	1	Part Quality			Check For Flash, Shorts, Blocked Heads, Mismatch, Color(If Needed)	Visual	1 Shot	Twice per 24 hours	Share Point or Final Inspection F-QA-10.4-21	Control of Non-Conforming Product PR-QA-13.1-2
		Labelers	2	Box Label			Per Work Order Check for Correct Label Placement; if Required	Visual match	1 label	Twice per 24 hours	Share Point or Final Inspection F-QA-10.4-21	Control of Non-Conforming Product PR-QA-13.1-2
		Labelers	3	Bag Label			Per Work Order Check for Correct Label Placement; if Required	Visual match	1 label	Twice per 24 hours	Share Point or Final Inspection F-QA-10.4-21	Control of Non-Conforming Product PR-QA-13.1-2
		Waters in Bag	4	Water Verification			Verify Water is in Bag where required	Visual	1 Bag	Twice per 24 hours	Share Point or Final Inspection F-QA-10.4-21	Control of Non-Conforming Product PR-QA-13.1-2
		Sealer	5	Proper Bag Seal			Bag Must Have a Complete Seal	Visual and Pull at Seams	1 bag	Twice per 24 hours	Share Point or Final Inspection F-QA-10.4-21	Control of Non-Conforming Product PR-QA-13.1-2

Quality Assurance		Material Handler	Process Tech / Auto Technician				Operator		QA and/or Team Supervisor		Shipping and/or Receiving	
Part / Process Number	Process Name / Operation Description	Machine, Device, Jig, Tools for MFG.	CHARACTERISTICS			Special Char. Class	METHODS					Reaction Plan
			NO.	PRODUCT	PROCESS		Product/Process Specification/ Tolerance	Evaluation/ Measurement Technique	SIZE		Control Method	
									Size	Freq		
		Correct Amount of Parts in Box	6	Quantity in Box			Boxes Must Have Specified Amount of Bags per Box	Hand Count	1 Sample	Twice per 24 hours	Share Point or Final Inspection F-QA-10.4-21	Control of Non-Conforming Product PR-QA-13.1-2
		Packaging	7	Packaging Requirements			Verify per Work Order correct Box	Visual	1 check	Twice per 24 hours	Share Point or Final Inspection F-QA-10.4-21	Control of Non-Conforming Product PR-QA-13.1-2
		Stamp	8	Date Code Stamp / Printer			S-PRD-8.1-6	Visual match	1 check	Twice per 24 hours	Share Point or Final Inspection F-QA-10.4-21	Control of Non-Conforming Product PR-QA-13.1-2
18	QA Daily Testing	Injection Molding Machine	1	QA Lab Tech Hand Insertion			No Hard Insertions, Slippage or Cracked Inserts Allowed. Breakage Testing According to WI-QA-10.3-2	Hand Insertion Process Inspection Check Per WI-QA-10.3-2	1 Shot	Daily	Weekly Matrix	Adjust Process
												Retest / Control of Non-Conforming Product PR-QA-13.1-2
		Injection Molding Machine	2	Part Quality			Check For Flash, Shorts, Blocked Heads, Mismatch, Color(If Needed)	Visual	1 Shot	Daily	Weekly Matrix	Adjust Process
		Injection Molding Machine	3	Part Quality			T18RA and T30RA ran through a tool	Tool	4 pcs welded together	Daily	Weekly Matrix/SPC Software	Adjust Process
19	Weekly Testing	Injection Molding Machine	1	Test for Minimum Wire Bundle			Minimum Wire Bundle Requirements Per Print	Wire Bundle Test	1 Shot	Weekly	SPC Software	Adjust Process
												Retest / Control of Non-Conforming Product PR-QA-13.1-2
		Injection Molding Machine	2	Monitor Tensile Strength			Tensile Strength of Tie Must Meet Minimum Requirements Per Print	Tensile Tester	1 Shot	Weekly	SPC Software	Adjust Process
		Injection Molding Machine	3	Force Testing Push On, Push In, Pull Off, Pull Out (If Required)			Per Print	Tensile Tester / Force Gauge	1pc	Weekly	SPC Software	Adjust Process
20	Material Movement		1		Move Parts to Shipping Dock		Per ERP System	Visual	Each Skid	Each Skid	ERP System	Notify Supervisor
21	Material Movement		1		Ship Product to Warehouse		Per Shipping Requirements	Visual	Each Skid	Each Shipment	Shipping Manifest and ERP System	Notify Supervisor
22	Annual Validation (If Required)		1		Validation of Product		Re-Validation of Product to Customer Requirements	PPAP	Per Customer Requirements	Per Customer Requirements	PPAP Matrix	Control of Non-Conforming Product PR-QA-13.1-2

## Initial Process Study

Part No. 157-00219	Part Description 25mm Stand Off Cable Tie With	Supplier HellermannTyton	
Drawing No. 13-1061-001-CSU	Drawing Date 2/24/2016	Drawing Revision 03.1	Inspection Facility HT-Milwaukee
Production Date 2/15/2016	Material UR0HIRHSUV0	Tool No. M0411	Inspector T.S.

DATA	Tensile Strength (lbs)								
1-9	120.00	115.00	118.00	120.00	116.00	112.00	113.00	114.00	115.00
10-18	113.00	113.00	118.00	113.00	119.00	114.00	123.00	119.00	111.00
19-27	119.00	119.00	109.00	111.00	112.00	115.00	118.00	112.00	115.00
28-36	117.00	118.00	113.00	114.00	116.00	113.00	111.00	121.00	117.00
37-45	118.00	118.00	122.00	112.00	110.00	113.00	116.00	118.00	115.00
46-54	114.00	113.00	119.00	114.00	114.00	120.00	116.00	113.00	125.00
55-63	120.00	117.00	118.00	120.00	116.00	113.00	123.00	114.00	117.00
64-72	114.00	120.00	116.00	122.00	117.00	116.00	117.00	109.00	110.00
73-81	113.00	113.00	116.00	112.00	109.00	119.00	112.00	114.00	112.00
82-90	121.00	116.00	117.00	114.00	118.00	114.00	114.00	117.00	115.00
91-99	127.00	114.00	116.00	119.00	113.00	122.00	124.00	116.00	118.00
100-108	119.00								



## Gage R&R

### R&R Study Results Using Specifications

2/1/2018

Gage number:	TGM-850	Done by:	Donna Szczepanski
Gage description:	Tensile Tester	Part name:	T120R
Gage type:	Tensile Tester	Characteristics:	Tensile Strength
Study name:	Anova Gage R & R	Specifications:	LSL=120 Nominal=155 USL=195
Study date:	10/17/2017	Number of Distinct Categories:	35.33951

Objective:

Comment:

Interpretation guidelines  
 < 10% generally considered to be an acceptable measurement system  
 10%-30% may be acceptable based upon importance of application, cost of measurement device, cost of repair etc.  
 > 30% considered to be not acceptable - every effort should be made to improve the measurement system

Results based on specifications

Measurement Unit Analysis Specification Spread (USL-LSL)/

Repeatability - Equipment Variation (EV)  
 EV = 0.1754119 %EV = 1.392725

Reproducibility - Appraiser Variation (AV)  
 AV = 0.4731652 %AV = 3.735514

Repeatability & Reproducibility (R&R)  
 R&R = 0.5049816 %R&R = 3.986597

Part Variation (PV)  
 PV = 12.5556 %PV = 99.9205

Specification Spread (USL-LSL)/  
 (USL - LSL) = 12.55567

Appraiser	Replication	Part 1	Part 2	Part 3	Part 4	Part 5	Part 6	Part 7	Part 8	Part 9	Part 10
Joyce	1	150.45	156.85	154.74	153.07	157.58	158.25	162.5	159.98	159.26	162.5
Joyce	2	150.68	157	154.87	153.07	157.62	158.32	162.52	160.1	159.31	162.52
Joyce	3	151.2	157.07	155.11	153.28	157.59	158.33	162.53	160.31	159.38	162.53
Taleala	1	151.81	157.11	155.55	153.49	157.7	158.43	162.56	160.5	159.49	162.56
Taleala	2	151.86	157.13	155.96	153.8	157.76	158.65	162.64	160.65	159.77	162.64
Taleala	3	151.91	157.25	156.13	154.17	157.88	158.84	162.92	160.73	159.77	162.92
Robin	1	152.44	157.34	156.23	154.21	157.99	158.91	163.06	160.74	159.8	163.06
Robin	2	152.65	157.4	156.73	154.51	158.08	159.16	163.66	160.79	159.84	162.66
Robin	3	152.67	157.48	156.78	154.64	158.14	159.25	163.67	161.2	159.95	162.67



## Gage R&R

### ANOVA report HellermannTyton


2/1/2018

Gage number: TGM-850  
Study name: Anova Gage R & R  
Study date: 10/17/2017  
Appraisers: 3  
Parts: 10  
Replications: 3  
Alpha: 0.1

Source	DF	SS	MS	F	Significant	P-value
App (AV)	2	12.34	6.169	174.2	Significant	0
Parts (PV)	9	1063	118.2	3337	Significant	0
AV x PV	18	4.056	0.2253	6.364	Significant	2.365e-08
Error (EV)	60	2.124	0.0354			
Total (TV)	89	1082				

	Confidence limits			% of study	% of	% contribution
	LCL	1 sigma	UCL	parameters	tolerance	study params
Repeatability (EV)	0.1639	0.1682	0.2218	5.139	1.485	0.2641
Reproducibility (AV)	0.2244	0.4522	1.998	12.35	3.57	1.525
AV x PV	0.2137	0.2516	0.4577	6.872	1.986	0.4722
Gage R&R (EV+AV)	0.3998	0.5506	2.025	15.04	4.347	2.261
Part variation (PV)	2.306	3.62	6.232	98.86	28.58	97.74
Total variation (TV)		3.651				

ndc = 9.3 (-> 9)



HellermannTyton



